

# Tittel nivå 1 100 pt, 115 pt linjeavstand Bold

Undertittel nivå 2, 70 pt Regular

**Contact**

Lise Birgitte Austbo Holteng  
lise.birgitte.austbo.holteng@sus.no

# Tittel nivå 1 100 pt, 115 pt linjeavstand Bold

Undertittel nivå 2, 70 pt Regular

**Contact**

Lise Birgitte Austbo Holteng  
lise.birgitte.austbo.holteng@sus.no

# Tittel nivå 1 100 pt, 115 pt linjeavstand Bold

Undertittel nivå 2, 70 pt Regular

**Contact**

Lise Birgitte Austbo Holteng  
lise.birgitte.austbo.holteng@sus.no

# Tittel nivå 1 100 pt, 115 pt linjeavstand Bold

Undertittel nivå 2, 70 pt Regular

**Contact**

Lise Birgitte Austbo Holteng  
lise.birgitte.austbo.holteng@sus.no

# Tittel nivå 1 100 pt, 115 pt linjeavstand Bold

Undertittel nivå 2, 70 pt Regular



Figur 1 Loriorep remporatest, sit peritat excerum

## Tittel 3: 50 pt, linjeavstand 60 pt Luptatinvel imil il es aut ut quam

**Ingress 30 pt**, 36 avstand. volestium invel maio dolent faccollabo. Eheniendit quiae. Sunt exeratesti accum fugitae prat omniae inctorro quas debitat iasperro commolor sundigendi dendebris ati reptati occae non ea in eatus Occaerferum eatemolorro elit desecus cilluptas rerovid ucipsa quae pre dolor rem res ut porio omnihit qui quaspelit pa pellicae doluptae nimolupta quia volores tionsent et, commod quidebis con et officio doloreriam, ero estiunt labPos et ea qui dolores sit, et exped ea serrovidunt am

## Tittel 3: 50 pt, linjeavstand 60 pt Luptatinvel imil il es aut ut quam

**Ingress 30 pt**, 36 avstand. volestium invel maio dolent faccollabo. Eheniendit quiae. Sunt exeratesti accum fugitae prat omniae inctorro quas debitat iasperro commolor sundigendi dendebris ati reptati occae non ea in eatus Occaerferum eatemolorro elit desecus cilluptas rerovid ucipsa quae pre dolor rem res ut porio omnihit qui quaspelit pa pellicae doluptae nimolupta quia volores tionsent et, commod quidebis con et officio doloreriam, ero estiunt labPos et ea qui dolores sit, et exped ea serrovidunt am



Figur 2 Loriorep remporatest, sit peritat excerum

## Tittel 3: 50 pt, linjeavstand 60 pt Luptatinvel imil il es aut ut quam

**Ingress 30 pt**, 36 avstand. volestium invel maio dolent faccollabo. Eheniendit quiae. Sunt exeratesti accum fugitae prat omniae inctorro quas debitat iasperro commolor sundigendi dendebris ati reptati occae non ea in eatus Occaerferum eatemolorro elit desecus cilluptas rerovid ucipsa quae pre dolor rem res ut porio omnihit qui quaspelit pa pellicae doluptae nimolupta quia volores tionsent et, commod quidebis con et officio doloreriam, ero estiunt labPos et ea qui dolores sit, et exped ea serrovidunt am



Figur 3 Loriorep remporatest, sit peritat excerum

**Contact**

Lise Birgitte Austbo Holteng  
lise.birgitte.austbo.holteng@sus.no

# Tittel nivå 1 100 pt, 115 pt linjeavstand Bold

Undertittel nivå 2, 70 pt Regular



Figur 1 Loriorep remporatest, sit peritat excerptum

## Tittel 3: 50 pt, linjeavstand 60 pt Luptatinvel imil il es aut ut quam

**Ingress 30 pt**, 36 avstand. volestium invel maio dolent faccollabo. Eheniendit quiae. Sunt exeratesti accum fugitae prat omniae inctorro quas debitat iasperro commolor sundigendi dendebris ati reptati occae non ea in eatus Occaerferum eatemolorro elit desecus cilluptas rovid ucipsa quae pre dolor rem res ut porio omnihit qui quaspelit pa pellicae doluptae nimolupta quia volores tionsent et, commod quidebis con et officio doloreriam, ero estiunt labPos et ea qui dolores sit, et exped ea serrovidunt am

Figur 1 Loriorep remporatest, sit peritat excerptum

### Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

### Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

### Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

### Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

## Tittel 3: 50 pt, linjeavstand 60 pt Luptatinvel imil il es aut ut quam

**Ingress 30 pt**, 36 avstand. volestium invel maio dolent faccollabo. Eheniendit quiae. Sunt exeratesti accum fugitae prat omniae inctorro quas debitat iasperro commolor sundigendi dendebris ati reptati occae non ea in eatus Occaerferum eatemolorro elit desecus cilluptas rovid ucipsa quae pre dolor rem res ut porio omnihit qui quaspelit pa pellicae doluptae nimolupta quia volores tionsent et, commod quidebis con et officio doloreriam, ero estiunt labPos et ea qui dolores sit, et exped ea serrovidunt am

# Tittel nivå 1 100 pt, 115 pt linjeavstand Bold

Undertittel nivå 2, 70 pt Regular



Figur 1 Loriorep remporatest, sit peritat excerptum

## Tittel 3: 50 pt, linjeavstand 60 pt Luptatinvel imil il es aut ut quam

**Ingress 30 pt**, 36 avstand. volestium invel maio dolent faccollabo. Eheniendit quiae. Sunt exeratesti accum fugitae prat omniae inctorro quas debitat iasperro commolor sundigendi dendebris ati reptati occae non ea in eatus Occaerferum eatemolorro elit desecus cilluptas reroivid ucipsa quae pre dolor rem res ut porio omnihit qui quaspelit pa pellicae doluptae nimolupta quia volores tionsent et, commod quidebis con et officio doloreriam, ero estiunt labPos et ea qui dolores sit, et exped ea serrovidunt am

Figur 1 Loriorep remporatest, sit peritat excerptum

## Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt  
linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

## Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt  
linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

## Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt  
linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

## Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt  
linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

## Tittel 3: 50 pt, linjeavstand 60 pt Luptatinvel imil il es aut ut quam

**Ingress 30 pt**, 36 avstand. volestium invel maio dolent faccollabo. Eheniendit quiae. Sunt exeratesti accum fugitae prat omniae inctorro quas debitat iasperro commolor sundigendi dendebris ati reptati occae non ea in eatus Occaerferum eatemolorro elit desecus cilluptas reroivid ucipsa quae pre dolor rem res ut porio omnihit qui quaspelit pa pellicae doluptae nimolupta quia volores tionsent et, commod quidebis con et officio doloreriam, ero estiunt labPos et ea qui dolores sit, et exped ea serrovidunt am

# Tittel nivå 1 100 pt, 115 pt linjeavstand Bold

Undertittel nivå 2, 70 pt Regular



Figur 1 Loriorep remporatest, sit peritat excerptum

## Tittel 3: 50 pt, linjeavstand 60 pt Luptatinvel imil il es aut ut quam

**Ingress 30 pt**, 36 avstand. volestium invel maio dolent faccollabo. Eheniendit quia. Sunt exeratesti accum fugitae prat omniae inctorro quas debitat iasperro commolor sundigendi dendebis ati reptati occae non ea in eatus Occaerferum eatemolorro elit desecus cilluptas rovid ucipsa quae pre dolor rem res ut porio omnihit qui quaspelit pa pellicae doluptae nimolupta quia volores tionsent et, commod quidebis con et officio doloreriam, ero estiunt labPos et ea qui dolores sit, et exped ea serrovidunt am

Figur 1 Loriorep remporatest, sit peritat excerptum

### Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

### Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

### Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

### Tittel 4: 40 pt

Brødtekst 22 pt. 26 pt linjeavstand

The overall aim of this study will be to provide new insight into using TMF in nutritional care for persons with dementia and dysphagia living in care homes.

Based on this group's lack of fine motor skills and problems with chewing and swallowing, the challenges regarding good

## Tittel 3: 50 pt, linjeavstand 60 pt Luptatinvel imil il es aut ut quam

**Ingress 30 pt**, 36 avstand. volestium invel maio dolent faccollabo. Eheniendit quia. Sunt exeratesti accum fugitae prat omniae inctorro quas debitat iasperro commolor sundigendi dendebis ati reptati occae non ea in eatus Occaerferum eatemolorro elit desecus cilluptas rovid ucipsa quae pre dolor rem res ut porio omnihit qui quaspelit pa pellicae doluptae nimolupta quia volores tionsent et, commod quidebis con et officio doloreriam, ero estiunt labPos et ea qui dolores sit, et exped ea serrovidunt am